

1: Di Stefano DA, Arosio P. Correlation Between Bone Density and Instantaneous Torque at Implant Site Preparation: A Validation on Polyurethane Foam Blocks of a Device Assessing Density of Jawbones. *Int J Oral Maxillofac Implants*. 2016 Sep-Oct;31(5):e128-35. doi: 10.11607/jomi.4475. PubMed PMID: 27632279.

2: Di Stefano DA, Giacometti E, Greco GB, Gastaldi G, Gherlone E. Effect of roughened micro-threaded implant neck and platform switching on marginal bone loss: a multicenter retrospective study with 6-year follow-up. *Quintessence Int*. 2016;47(9):759-65. doi: 10.3290/j.qi.a36563. PubMed PMID: 27446996.

3: Di Stefano DA, Gastaldi G, Vinci R, Polizzi EM, Cinci L, Pieri L, Gherlone E. Bone Formation Following Sinus Augmentation with an Equine-Derived Bone Graft: A Retrospective Histologic and Histomorphometric Study with 36-Month Follow-up. *Int J Oral Maxillofac Implants*. 2016 Mar-Apr;31(2):406-12. doi: 10.11607/jomi.4373. PubMed PMID: 27004287.

4: Di Stefano DA, Greco GB, Riboli F. Guided Bone Regeneration of an Atrophic Mandible with a Heterologous Bone Block. *Cranio Maxillofac Trauma Reconstr*. 2016 Mar;9(1):88-93. doi: 10.1055/s-0035-1551544. PubMed PMID: 26889354; PubMed Central PMCID: PMC4755768.

5: Di Stefano DA, Gastaldi G, Vinci R, Cinci L, Pieri L, Gherlone E. Histomorphometric Comparison of Enzyme-Deantigenic Equine Bone and Anorganic Bovine Bone in Sinus Augmentation: A Randomized Clinical Trial with 3-Year Follow-Up. *Int J Oral Maxillofac Implants*. 2015 Sep-Oct;30(5):1161-7. doi: 10.11607/jomi.4057. PubMed PMID: 26394355.

6: Di Stefano DA, Greco GB, Cinci L, Pieri L. Horizontal-guided Bone Regeneration using a Titanium Mesh and an Equine Bone Graft. *J Contemp Dent*

Pract. 2015 Feb
1;16(2):154–62. PubMed PMID: 25906808.

7: Capparé P, Vinci R, Di Stefano DA, Traini T, Pantaleo G, Gherlone EF, Gastaldi G. Correlation between Initial BIC and the Insertion Torque/Depth Integral Recorded with an Instantaneous Torque-Measuring Implant Motor: An in vivo Study. Clin Implant Dent Relat Res. 2015 Oct;17 Suppl 2:e613–20. doi: 10.1111/cid.12294. PubMed PMID: 25876078.

8: Di Stefano DA, Arosio P, Piattelli A, Perrotti V, Iezzi G. A torque-measuring micromotor provides operator independent measurements marking four different density areas in maxillae. J Adv Prosthodont. 2015 Feb;7(1):51–5. doi: 10.4047/jap.2015.7.1.51. PubMed PMID: 25722838; PubMed Central PMCID: PMC4341187.

9: Iezzi G, Scarano A, Di Stefano D, Arosio P, Doi K, Ricci L, Piattelli A, Perrotti V. Correlation between the bone density recorded by a computerized implant motor and by a histomorphometric analysis: a preliminary in vitro study on bovine ribs. Clin Implant Dent Relat Res. 2015 Jan;17 Suppl 1:e35–44. doi: 10.1111/cid.12121. PubMed PMID: 23879771.

10: Testori T, Drago L, Wallace SS, Capelli M, Galli F, Zuffetti F, Parenti A, Deflorian M, Fumagalli L, Weinstein RL, Maiorana C, Di Stefano D, Valentini P, Gianni AB, Chiapasco M, Vinci R, Pignataro L, Mantovani M, Torretta S, Pipolo C, Felisati G, Padoan G, Castelnuovo P, Mattina R, Del Fabbro M. Prevention and treatment of postoperative infections after sinus elevation surgery: clinical consensus and recommendations. Int J Dent. 2012;2012:365809. doi: 10.1155/2012/365809. PubMed PMID: 22927851; PubMed Central PMCID: PMC3423929.

11: Artese L, Piattelli A, Di Stefano DA, Piccirilli M, Pagnutti S, D'Alimonte E, Perrotti V. Sinus lift with autologous bone alone or in addition to

equine bone:
an immunohistochemical study in man. *Implant Dent.* 2011 Oct;20(5):
383-8. doi:
10.1097/ID.0b013e3182310b3d. PubMed PMID: 21909027.

12: Ludovichetti M, Di Stefano DA, Pagnutti S, Vaccari E,
Ludovichetti FS,
Celletti R. Vertical ridge augmentation using a flexible
heterologous cortical
bone sheet: three-year follow-up. *Int J Periodontics Restorative
Dent.* 2011
Jul-Aug;31(4):401-7. PubMed PMID: 21837306.

13: Di Stefano DA, Artese L, Iezzi G, Piattelli A, Pagnutti S,
Piccirilli M,
Perrotti V. Alveolar ridge regeneration with equine spongy bone: a
clinical,
histological, and immunohistochemical case series. *Clin Implant Dent
Relat Res.*
2009 Jun;11(2):90-100. doi: 10.1111/j.1708-8208.2008.00104.x. PubMed
PMID:
18783426.

14: Di Stefano D, Iezzi G, Scarano A, Perrotti V, Piattelli A.
Immediately loaded
blade implant retrieved from a after a 20-year loading period: a
histologic and
histomorphometric case report. *J Oral Implantol.* 2006;32(4):171-6.
PubMed PMID:
17009561.

15: Piattelli A, Degidi M, Di Stefano DA, Rubini C, Fioroni M,
Strocchi R.
Microvessel density in alveolar ridge regeneration with autologous
and
alloplastic bone. *Implant Dent.* 2002;11(4):370-5. PubMed PMID:
12518705.