

1: Oteri G, Cicciù M, Peditto M, Catalano A, Loddo S, Pisano M, Lasco A. Does

Vitamin D3 Have an Impact on Clinical and Biochemical Parameters Related to Third

Molar Surgery. J Craniofac Surg. 2016 Mar;27(2):469–76. doi: 10.1097/SCS.0000000000002389. PubMed PMID: 26845098.

2: Oteri G, Lentini M, Pisano M, Cicciù M. Peripheral desmoplastic ameloblastoma

in adolescent age: clinico-pathological and immunohistochemical analysys of a

case. Open Dent J. 2014 Sep 29;8:159–63. doi: 10.2174/1874210601408010159. PubMed

PMID: 25317210; PubMed Central PMCID: PMC4192832.

3: Fedele S, Bedogni G, Scoletta M, Favia G, Colella G, Agrillo A, Bettini G, Di

Fede O, Oteri G, Fusco V, Gabriele M, Ottolenghi L, Valsecchi S, Porter S, Fung

PP, Saia G, Campisi G, Bedogni A. Up to a quarter of patients with osteonecrosis

of the jaw associated with antiresorptive agents remain undiagnosed. Br J Oral

Maxillofac Surg. 2015 Jan;53(1):13–7. doi: 10.1016/j.bjoms.

2014.09.001. PubMed

PMID: 25282593.

4: Oteri G, Pizzino G, Pisano M, Peditto M, Squadrito F, Bitto A. Polyethylene

glycol formulations show different soft tissue remodeling and angiogenesis

features. Tissue Eng Part A. 2015 Feb;21(3–4):580–5. doi:

10.1089/ten.TEA.2014.0260. PubMed PMID: 25275669; PubMed Central

PMCID:

PMC4333316.

5: Bedogni A, Fedele S, Bedogni G, Scoletta M, Favia G, Colella G, Agrillo A,

Bettini G, Di Fede O, Oteri G, Fusco V, Gabriele M, Ottolenghi L, Valsecchi S,

Porter S, Petrucci M, Arduino P, D'Amato S, Ungari C, Fung Polly PL, Saia G,

Campisi G. Staging of osteonecrosis of the jaw requires computed tomography for

accurate definition of the extent of bony disease. Br J Oral Maxillofac Surg.

2014 Sep;52(7):603–8. doi: 10.1016/j.bjoms.2014.04.009. PubMed PMID: 24856927.

6: Oteri G, Bramanti E, Nigrone V, Cicciù M. Decayed, Missing, and Filled Teeth Index and Periodontal Health in Osteoporotic Patients Affected by BRONJ: An Observational Study. *J Osteoporos.* 2013;2013:231289. doi: 10.1155/2013/231289. PubMed PMID: 24455411; PubMed Central PMCID: PMC3876686.

7: Allegra A, Oteri G, Alonci A, Bacci F, Penna G, Minardi V, Maisano V, Musolino C. Association of osteonecrosis of the jaws and POEMS syndrome in a patient assuming rituximab. *J Craniomaxillofac Surg.* 2014 Jun;42(4):279–82. doi: 10.1016/j.jcms.2013.05.014. PubMed PMID: 23800756.

8: Bitto A, Oteri G, Pisano M, Polito F, Irrera N, Minutoli L, Squadrito F, Altavilla D. Adenosine receptor stimulation by polynucleotides (PDRN) reduces inflammation in experimental periodontitis. *J Clin Periodontol.* 2013 Jan;40(1):26–32. doi: 10.1111/jcpe.12010. PubMed PMID: 23033941.

9: Lops D, Romeo E, Chiapasco M, Procopio RM, Oteri G. Behaviour of soft tissues healing around single bone-level-implants placed immediately after tooth extraction A 1 year prospective cohort study. *Clin Oral Implants Res.* 2013 Nov;24(11):1206–13. doi: 10.1111/j.1600-0501.2012.02531.x. PubMed PMID: 22775968.

10: Oteri G, Ponte FS, Pisano M, Cicciù M. Five years follow-up of implant-prosthetic rehabilitation on a patient after mandibular ameloblastoma removal and ridge reconstruction by fibula graft and bone distraction. *Dent Res J (Isfahan).* 2012 Mar;9(2):226–32. PubMed PMID: 22623943; PubMed Central PMCID: PMC3353703.

11: Di Paola R, Briguglio F, Paterniti I, Mazzon E, Oteri G, Militi D, Cordasco G, Cuzzocrea S. Emerging role of PPAR- β/δ in inflammatory process associated to experimental periodontitis. *Mediators Inflamm.* 2011;2011:787159. doi: 10.1155/2011/787159. PubMed PMID: 22131647; PubMed Central PMCID:

PMC3206391.

12: Oteri G, Procopio RM, Cicciù M. Giant Salivary Gland Calculi (GSGC): Report

Of Two Cases. Open Dent J. 2011;5:90–5. doi:

10.2174/1874210601105010090. PubMed

PMID: 21760861; PubMed Central PMCID: PMC3134965.

13: Paola RD, Oteri G, Mazzon E, Crisafulli C, Galuppo M, Toso RD, Pressi G,

Cordasco G, Cuzzocrea S. Effects of verbascoside, biotechnologically purified by

Syringa vulgaris plant cell cultures, in a rodent model of periodontitis. J Pharm

Pharmacol. 2011 May;63(5):707–17. doi: 10.1111/j.

2042-7158.2011.01262.x. PubMed

PMID: 21492173.

14: Briguglio E, Di Paola R, Paterniti I, Mazzon E, Oteri G, Cordasco G,

Cuzzocrea S. WY-14643, a Potent Peroxisome Proliferator Activator Receptor- α

PPAR- α Agonist Ameliorates the Inflammatory Process Associated to Experimental

Periodontitis. PPAR Res. 2010;2010:193019. doi: 10.1155/2010/193019. PubMed PMID:

21253492; PubMed Central PMCID: PMC3022213.

15: Paterniti I, Briguglio E, Mazzon E, Galuppo M, Oteri G, Cordasco G, Cuzzocrea

S. Effects of Hypericum Perforatum, in a rodent model of periodontitis. BMC

Complement Altern Med. 2010 Nov 23;10:73. doi:

10.1186/1472-6882-10-73. PubMed

PMID: 21092263; PubMed Central PMCID: PMC3000377.

16: Luongo G, Oteri G. A noninterventional study documenting use and success of

implants with a new chemically modified titanium surface in daily dental

practice. J Oral Implantol. 2010;36(4):305–14. doi: 10.1563/AIJD-JOI-D-09-00069.

PubMed PMID: 20735267.

17: Allegra A, Alonci A, Penna G, Granata A, Nastro Siniscalchi E, Oteri G, Loddo

S, Teti D, Cicciù D, De Ponte FS, Musolino C. Bisphosphonates induce apoptosis of

circulating endothelial cells in multiple myeloma patients and in subjects with bisphosphonate-induced osteonecrosis of the jaws. *Acta Haematol.* 2010;124(2):79–85. doi: 10.1159/000313787. PubMed PMID: 20639624.

18: Nastro Siniscalchi E, Cutroneo G, Catalfamo L, Santoro G, Allegra A, Oteri G, Cicciù D, Alonci A, Penna G, Musolino C, Saverio De Ponte F, Anastasi G, Favaloro A. Immunohistochemical evaluation of sarcoglycans and integrins in gingival epithelium of multiple myeloma patients with bisphosphonate-induced osteonecrosis of the jaw. *Oncol Rep.* 2010 Jul;24(1):129–34. PubMed PMID: 20514453.

19: Nastro E, Allegra A, Oteri G, Ferlito S, Alonci A, Bellomo G, D'Angelo A, Tolomeo A, Cicciù D, De Ponte FS, Musolino C. Avascular necrosis of bone in leukemia and osteonecrosis of jaw by bisphosphonates. *J Oral Maxillofac Surg.* 2009 Dec;67(12):2701–3. doi: 10.1016/j.joms.2008.05.369. PubMed PMID: 19926001.

20: Oteri G, Allegra A, Bellomo G, Alonci A, Nastro E, Penna G, Catalfamo L, Cicciù D, De Ponte FS, Musolino C. Reduced serum levels of Interleukin 17 in patients with osteonecrosis of the jaw and in multiple myeloma subjects after bisphosphonates administration. *Cytokine.* 2008 Aug;43(2):103–4. doi: 10.1016/j.cyto.2008.05.010. PubMed PMID: 18585926.

21: Alonci A, Allegra A, Bellomo G, Quartarone E, Oteri G, Nastro E, Cicciù D, De Ponte FS, Musolino C. Patients with bisphosphonate-associated osteonecrosis of the jaw have unmodified levels of soluble vascular endothelial growth factor receptor 1. *Leuk Lymphoma.* 2007 Sep;48(9):1852–4. PubMed PMID: 17786724.

22: Di Paola R, Mazzon E, Muià C, Terrana D, Greco S, Britti D, Santori D, Oteri G, Cordasco G, Cuzzocrea S. 5-Aminoisoquinolin-1(2H)-one, a water-soluble poly(ADP-ribose) polymerase (PARP) inhibitor reduces the evolution of experimental periodontitis in rats. *J Clin Periodontol.* 2007 Feb;34(2):95–102.

PubMed PMID:
17309584.

23: Muià C, Mazzon E, Zito D, Maiere D, Britti D, Crisafulli C, Oteri G, Cordasco G, Cuzzocrea S. Cloricromene, a coumarine derivative, reduced the development of periodontitis in rats. *Naunyn Schmiedebergs Arch Pharmacol.* 2006 Apr;373(1):51–9.
PubMed PMID: 16572308.